

品番一覧表

全306品番

ミニフラップホイル/ 製品記号:MFL

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL1053-40	10	5	3	#	40		5	50		25000	692
MFL1053-60	10	5	3	#	60		5	50		25000	692
MFL1053-80	10	5	3	#	80		5	50		25000	692
MFL1053-100	10	5	3	#	100		5	50		25000	692
MFL1053-120	10	5	3	#	120		5	50		25000	692
MFL1053-150	10	5	3	#	150		5	50		25000	692
MFL1053-180	10	5	3	#	180		5	50		25000	692
MFL1053-240	10	5	3	#	240		5	50		25000	692
MFL1053-320	10	5	3	#	320		5	50		25000	692
MFL1053-400	10	5	3	#	400		5	50		25000	692
MFL10103-40	10	10	3	#	40		5	50		25000	692
MFL10103-60	10	10	3	#	60		5	50		25000	692
MFL10103-80	10	10	3	#	80		5	50		25000	692
MFL10103-100	10	10	3	#	100	○	5	50		25000	692
MFL10103-120	10	10	3	#	120		5	50		25000	692
MFL10103-150	10	10	3	#	150		5	50		25000	692
MFL10103-180	10	10	3	#	180		5	50		25000	692
MFL10103-240	10	10	3	#	240		5	50		25000	692
MFL10103-320	10	10	3	#	320		5	50		25000	692
MFL10103-400	10	10	3	#	400		5	50		25000	692
MFL10153-40	10	15	3	#	40		5	50		25000	764
MFL10153-60	10	15	3	#	60	○	5	50		25000	764
MFL10153-80	10	15	3	#	80		5	50		25000	764
MFL10153-100	10	15	3	#	100		5	50		25000	764
MFL10153-120	10	15	3	#	120		5	50		25000	764
MFL10153-150	10	15	3	#	150		5	50		25000	764
MFL10153-180	10	15	3	#	180		5	50		25000	764
MFL10153-240	10	15	3	#	240		5	50		25000	764
MFL10153-320	10	15	3	#	320		5	50		25000	764
MFL10153-400	10	15	3	#	400		5	50		25000	764
MFL10203-40	10	20	3	#	40		5	50		25000	633

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社®

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL. (0725) 51-2292 FAX. (0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL10203-60	10	20	3	#	60	○	5	50		25000	633
MFL10203-80	10	20	3	#	80	○	5	50		25000	633
MFL10203-100	10	20	3	#	100	○	5	50		25000	633
MFL10203-120	10	20	3	#	120	○	5	50		25000	633
MFL10203-150	10	20	3	#	150		5	50		25000	633
MFL10203-180	10	20	3	#	180		5	50		25000	633
MFL10203-240	10	20	3	#	240		5	50		25000	633
MFL10203-320	10	20	3	#	320	○	5	50		25000	633
MFL10203-400	10	20	3	#	400		5	50		25000	633
MFL15103-40	15	10	3	#	40		5	50		25000	642
MFL15103-60	15	10	3	#	60		5	50		25000	642
MFL15103-80	15	10	3	#	80	○	5	50		25000	642
MFL15103-100	15	10	3	#	100		5	50		25000	642
MFL15103-120	15	10	3	#	120	○	5	50		25000	642
MFL15103-150	15	10	3	#	150		5	50		25000	642
MFL15103-180	15	10	3	#	180		5	50		25000	642
MFL15103-240	15	10	3	#	240	○	5	50		25000	642
MFL15103-320	15	10	3	#	320		5	50		25000	642
MFL15103-400	15	10	3	#	400		5	50		25000	642
MFL15153-40	15	15	3	#	40		5	50		25000	700
MFL15153-60	15	15	3	#	60		5	50		25000	700
MFL15153-80	15	15	3	#	80	○	5	50		25000	700
MFL15153-100	15	15	3	#	100		5	50		25000	700
MFL15153-120	15	15	3	#	120		5	50		25000	700
MFL15153-150	15	15	3	#	150		5	50		25000	700
MFL15153-180	15	15	3	#	180		5	50		25000	700
MFL15153-240	15	15	3	#	240		5	50		25000	700
MFL15153-320	15	15	3	#	320		5	50		25000	700
MFL15153-400	15	15	3	#	400		5	50		25000	700
MFL15203-40	15	20	3	#	40		5	50		25000	642
MFL15203-60	15	20	3	#	60	○	5	50		25000	642
MFL15203-80	15	20	3	#	80	○	5	50		25000	642
MFL15203-100	15	20	3	#	100	○	5	50		25000	642
MFL15203-120	15	20	3	#	120	○	5	50		25000	642

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL15203-150	15	20	3	#	150		5	50		25000	642
MFL15203-180	15	20	3	#	180		5	50		25000	642
MFL15203-240	15	20	3	#	240	○	5	50		25000	642
MFL15203-320	15	20	3	#	320		5	50		25000	642
MFL15203-400	15	20	3	#	400		5	50		25000	642
MFL2053-40	20	5	3	#	40		5	50		20000	706
MFL2053-60	20	5	3	#	60		5	50		20000	706
MFL2053-80	20	5	3	#	80		5	50		20000	706
MFL2053-100	20	5	3	#	100		5	50		20000	706
MFL2053-120	20	5	3	#	120		5	50		20000	706
MFL2053-150	20	5	3	#	150		5	50		20000	706
MFL2053-180	20	5	3	#	180		5	50		20000	706
MFL2053-240	20	5	3	#	240		5	50		20000	706
MFL2053-320	20	5	3	#	320		5	50		20000	706
MFL2053-400	20	5	3	#	400		5	50		20000	706
MFL20103-40	20	10	3	#	40		5	50		20000	706
MFL20103-60	20	10	3	#	60		5	50		20000	706
MFL20103-80	20	10	3	#	80		5	50		20000	706
MFL20103-100	20	10	3	#	100		5	50		20000	706
MFL20103-120	20	10	3	#	120		5	50		20000	706
MFL20103-150	20	10	3	#	150		5	50		20000	706
MFL20103-180	20	10	3	#	180		5	50		20000	706
MFL20103-240	20	10	3	#	240		5	50		20000	706
MFL20103-320	20	10	3	#	320		5	50		20000	706
MFL20103-400	20	10	3	#	400		5	50		20000	706
MFL20153-40	20	15	3	#	40		5	50		20000	706
MFL20153-60	20	15	3	#	60		5	50		20000	706
MFL20153-80	20	15	3	#	80		5	50		20000	706
MFL20153-100	20	15	3	#	100		5	50		20000	706
MFL20153-120	20	15	3	#	120		5	50		20000	706
MFL20153-150	20	15	3	#	150		5	50		20000	706
MFL20153-180	20	15	3	#	180		5	50		20000	706
MFL20153-240	20	15	3	#	240		5	50		20000	706
MFL20153-320	20	15	3	#	320		5	50		20000	706

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL20153-400	20	15	3	#	400		5	50		20000	706
MFL20203-40	20	20	3	#	40		5	50		20000	629
MFL20203-60	20	20	3	#	60	○	5	50		20000	629
MFL20203-80	20	20	3	#	80	○	5	50		20000	629
MFL20203-100	20	20	3	#	100	○	5	50		20000	629
MFL20203-120	20	20	3	#	120		5	50		20000	629
MFL20203-150	20	20	3	#	150		5	50		20000	629
MFL20203-180	20	20	3	#	180		5	50		20000	629
MFL20203-240	20	20	3	#	240		5	50		20000	629
MFL20203-320	20	20	3	#	320		5	50		20000	629
MFL20203-400	20	20	3	#	400		5	50		20000	629
MFL20253-40	20	25	3	#	40		5	50		20000	706
MFL20253-60	20	25	3	#	60	○	5	50		20000	706
MFL20253-80	20	25	3	#	80	○	5	50		20000	706
MFL20253-100	20	25	3	#	100		5	50		20000	706
MFL20253-120	20	25	3	#	120	○	5	50		20000	706
MFL20253-150	20	25	3	#	150		5	50		20000	706
MFL20253-180	20	25	3	#	180		5	50		20000	706
MFL20253-240	20	25	3	#	240		5	50		20000	706
MFL20253-320	20	25	3	#	320		5	50		20000	706
MFL20253-400	20	25	3	#	400		5	50		20000	706
MFL25253-40	25	25	3	#	40		5	50		20000	706
MFL25253-60	25	25	3	#	60	○	5	50		20000	706
MFL25253-80	25	25	3	#	80		5	50		20000	706
MFL25253-100	25	25	3	#	100		5	50		20000	706
MFL25253-120	25	25	3	#	120	○	5	50		20000	706
MFL25253-150	25	25	3	#	150		5	50		20000	706
MFL25253-180	25	25	3	#	180		5	50		20000	706
MFL25253-240	25	25	3	#	240		5	50		20000	706
MFL25253-320	25	25	3	#	320		5	50		20000	706
MFL25253-400	25	25	3	#	400		5	50		20000	706
MFL2525-40	25	25	6	#	40	●	5	50		20000	736
MFL2525-60	25	25	6	#	60	●	5	50		20000	736
MFL2525-80	25	25	6	#	80	○	5	50		20000	736

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL2525-100	25	25	6	#	100	●	5	50		20000	736
MFL2525-120	25	25	6	#	120	●	5	50		20000	736
MFL2525-150	25	25	6	#	150	○	5	50		20000	736
MFL2525-180	25	25	6	#	180		5	50		20000	736
MFL2525-240	25	25	6	#	240	○	5	50		20000	736
MFL2525-320	25	25	6	#	320	○	5	50		20000	736
MFL2525-400	25	25	6	#	400	○	5	50		20000	736
MFL2525-600	25	25	6	#	600	○	5	50		20000	736
MFL30103-40	30	10	3	#	40		5	50		20000	687
MFL30103-60	30	10	3	#	60	●	5	50		20000	687
MFL30103-80	30	10	3	#	80	○	5	50		20000	687
MFL30103-100	30	10	3	#	100		5	50		20000	687
MFL30103-120	30	10	3	#	120	○	5	50		20000	687
MFL30103-150	30	10	3	#	150		5	50		20000	687
MFL30103-180	30	10	3	#	180		5	50		20000	687
MFL30103-240	30	10	3	#	240	○	5	50		20000	687
MFL30103-320	30	10	3	#	320		5	50		20000	687
MFL30103-400	30	10	3	#	400		5	50		20000	687
MFL3010-40	30	10	6	#	40	○	5	50		20000	687
MFL3010-60	30	10	6	#	60	○	5	50		20000	687
MFL3010-80	30	10	6	#	80	○	5	50		20000	687
MFL3010-100	30	10	6	#	100		5	50		20000	687
MFL3010-120	30	10	6	#	120	○	5	50		20000	687
MFL3010-150	30	10	6	#	150		5	50		20000	687
MFL3010-180	30	10	6	#	180		5	50		20000	687
MFL3010-240	30	10	6	#	240		5	50		20000	687
MFL3010-320	30	10	6	#	320		5	50		20000	687
MFL3010-400	30	10	6	#	400		5	50		20000	687
MFL30253-40	30	25	3	#	40		5	50		20000	736
MFL30253-60	30	25	3	#	60		5	50		20000	736
MFL30253-80	30	25	3	#	80		5	50		20000	736
MFL30253-100	30	25	3	#	100		5	50		20000	736
MFL30253-120	30	25	3	#	120		5	50		20000	736
MFL30253-150	30	25	3	#	150		5	50		20000	736

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL30253-180	30	25	3	#	180		5	50		20000	736
MFL30253-240	30	25	3	#	240		5	50		20000	736
MFL30253-320	30	25	3	#	320		5	50		20000	736
MFL30253-400	30	25	3	#	400		5	50		20000	736
MFL3025-40	30	25	6	#	40	○	5	50		20000	736
MFL3025-60	30	25	6	#	60	●	5	50		20000	736
MFL3025-80	30	25	6	#	80	●	5	50		20000	736
MFL3025-100	30	25	6	#	100	○	5	50		20000	736
MFL3025-120	30	25	6	#	120	●	5	50		20000	736
MFL3025-150	30	25	6	#	150	○	5	50		20000	736
MFL3025-180	30	25	6	#	180	○	5	50		20000	736
MFL3025-240	30	25	6	#	240	○	5	50		20000	736
MFL3025-320	30	25	6	#	320	○	5	50		20000	736
MFL3025-400	30	25	6	#	400	○	5	50		20000	736
MFL3025-600	30	25	6	#	600		5	50		20000	736
MFL4015-40	40	15	6	#	40		5	50		20000	749
MFL4015-60	40	15	6	#	60		5	50		20000	749
MFL4015-80	40	15	6	#	80		5	50		20000	749
MFL4015-100	40	15	6	#	100		5	50		20000	749
MFL4015-120	40	15	6	#	120	○	5	50		20000	749
MFL4015-150	40	15	6	#	150		5	50		20000	749
MFL4015-180	40	15	6	#	180		5	50		20000	749
MFL4015-240	40	15	6	#	240		5	50		20000	749
MFL4015-320	40	15	6	#	320		5	50		20000	749
MFL4015-400	40	15	6	#	400		5	50		20000	749
MFL4025-40	40	25	6	#	40	●	5	50		20000	766
MFL4025-60	40	25	6	#	60	●	5	50		20000	766
MFL4025-80	40	25	6	#	80	●	5	50		20000	766
MFL4025-100	40	25	6	#	100	●	5	50		20000	766
MFL4025-120	40	25	6	#	120	●	5	50		20000	766
MFL4025-150	40	25	6	#	150	●	5	50		20000	766
MFL4025-180	40	25	6	#	180	○	5	50		20000	766
MFL4025-240	40	25	6	#	240	●	5	50		20000	766
MFL4025-320	40	25	6	#	320		5	50		20000	766

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL4025-400	40	25	6	#	400		5	50		20000	766
MFL4025-600	40	25	6	#	600		5	50		20000	766
MFL4030-40	40	30	6	#	40	●	5	50		20000	836
MFL4030-60	40	30	6	#	60	●	5	50		20000	836
MFL4030-80	40	30	6	#	80	●	5	50		20000	836
MFL4030-100	40	30	6	#	100		5	50		20000	836
MFL4030-120	40	30	6	#	120	○	5	50		20000	836
MFL4030-150	40	30	6	#	150		5	50		20000	836
MFL4030-180	40	30	6	#	180		5	50		20000	836
MFL4030-240	40	30	6	#	240	○	5	50		20000	836
MFL4030-320	40	30	6	#	320		5	50		20000	836
MFL4030-400	40	30	6	#	400		5	50		20000	836
MFL5015-40	50	15	6	#	40		5	50		20000	761
MFL5015-60	50	15	6	#	60		5	50		20000	761
MFL5015-80	50	15	6	#	80	○	5	50		20000	761
MFL5015-100	50	15	6	#	100		5	50		20000	761
MFL5015-120	50	15	6	#	120	○	5	50		20000	761
MFL5015-150	50	15	6	#	150		5	50		20000	761
MFL5015-180	50	15	6	#	180		5	50		20000	761
MFL5015-240	50	15	6	#	240	○	5	50		20000	761
MFL5015-320	50	15	6	#	320	○	5	50		20000	761
MFL5015-400	50	15	6	#	400		5	50		20000	761
MFL5025-40	50	25	6	#	40	●	5	50		20000	808
MFL5025-60	50	25	6	#	60	●	5	50		20000	808
MFL5025-80	50	25	6	#	80	●	5	50		20000	808
MFL5025-100	50	25	6	#	100	●	5	50		20000	808
MFL5025-120	50	25	6	#	120	●	5	50		20000	808
MFL5025-150	50	25	6	#	150	○	5	50		20000	808
MFL5025-180	50	25	6	#	180	●	5	50		20000	808
MFL5025-240	50	25	6	#	240	●	5	50		20000	808
MFL5025-320	50	25	6	#	320	●	5	50		20000	808
MFL5025-400	50	25	6	#	400	●	5	50		20000	808
MFL5025-600	50	25	6	#	600	○	5	50		20000	808
MFL5030-40	50	30	6	#	40	○	5	50		20000	893

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL5030-60	50	30	6	#	60	●	5	50		20000	893
MFL5030-80	50	30	6	#	80	●	5	50		20000	893
MFL5030-100	50	30	6	#	100	○	5	50		20000	893
MFL5030-120	50	30	6	#	120	○	5	50		20000	893
MFL5030-150	50	30	6	#	150		5	50		20000	893
MFL5030-180	50	30	6	#	180		5	50		20000	893
MFL5030-240	50	30	6	#	240	○	5	50		20000	893
MFL5030-320	50	30	6	#	320	○	5	50		20000	893
MFL5030-400	50	30	6	#	400		5	50		20000	893
MFL6015-40	60	15	6	#	40		5	50		18000	893
MFL6015-60	60	15	6	#	60		5	50		18000	893
MFL6015-80	60	15	6	#	80		5	50		18000	893
MFL6015-100	60	15	6	#	100		5	50		18000	893
MFL6015-120	60	15	6	#	120		5	50		18000	893
MFL6015-150	60	15	6	#	150	○	5	50		18000	893
MFL6015-180	60	15	6	#	180		5	50		18000	893
MFL6015-240	60	15	6	#	240		5	50		18000	893
MFL6015-320	60	15	6	#	320		5	50		18000	893
MFL6015-400	60	15	6	#	400		5	50		18000	893
MFL6025-40	60	25	6	#	40	●	5	50		18000	989
MFL6025-60	60	25	6	#	60	●	5	50		18000	989
MFL6025-80	60	25	6	#	80	●	5	50		18000	989
MFL6025-100	60	25	6	#	100	○	5	50		18000	989
MFL6025-120	60	25	6	#	120	●	5	50		18000	989
MFL6025-150	60	25	6	#	150		5	50		18000	989
MFL6025-180	60	25	6	#	180	○	5	50		18000	989
MFL6025-240	60	25	6	#	240	○	5	50		18000	989
MFL6025-320	60	25	6	#	320	●	5	50		18000	989
MFL6025-400	60	25	6	#	400	○	5	50		18000	989
MFL6025-600	60	25	6	#	600		5	50		18000	989
MFL6030-40	60	30	6	#	40	●	5	50		18000	1,042
MFL6030-60	60	30	6	#	60	●	5	50		18000	1,042
MFL6030-80	60	30	6	#	80	○	5	50		18000	1,042
MFL6030-100	60	30	6	#	100	●	5	50		18000	1,042

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL6030-120	60	30	6	#	120	○	5	50		18000	1,042
MFL6030-150	60	30	6	#	150	●	5	50		18000	1,042
MFL6030-180	60	30	6	#	180		5	50		18000	1,042
MFL6030-240	60	30	6	#	240		5	50		18000	1,042
MFL6030-320	60	30	6	#	320		5	50		18000	1,042
MFL6030-400	60	30	6	#	400		5	50		18000	1,042
MFL8015-40	80	15	6	#	40		5	50		15000	1,119
MFL8015-60	80	15	6	#	60		5	50		15000	1,119
MFL8015-80	80	15	6	#	80	●	5	50		15000	1,119
MFL8015-100	80	15	6	#	100		5	50		15000	1,119
MFL8015-120	80	15	6	#	120	●	5	50		15000	1,119
MFL8015-150	80	15	6	#	150		5	50		15000	1,119
MFL8015-180	80	15	6	#	180		5	50		15000	1,119
MFL8015-240	80	15	6	#	240	○	5	50		15000	1,119
MFL8015-320	80	15	6	#	320		5	50		15000	1,119
MFL8015-400	80	15	6	#	400		5	50		15000	1,119
MFL8025-40	80	25	6	#	40	●	5	50		15000	1,333
MFL8025-60	80	25	6	#	60	●	5	50		15000	1,333
MFL8025-80	80	25	6	#	80	●	5	50		15000	1,333
MFL8025-100	80	25	6	#	100		5	50		15000	1,333
MFL8025-120	80	25	6	#	120	●	5	50		15000	1,333
MFL8025-150	80	25	6	#	150		5	50		15000	1,333
MFL8025-180	80	25	6	#	180		5	50		15000	1,333
MFL8025-240	80	25	6	#	240	○	5	50		15000	1,333
MFL8025-320	80	25	6	#	320	○	5	50		15000	1,333
MFL8025-400	80	25	6	#	400		5	50		15000	1,333
MFL8025-600	80	25	6	#	600	○	5	50		15000	1,333
MFL8030-40	80	30	6	#	40	○	5	50		15000	1,453
MFL8030-60	80	30	6	#	60	●	5	50		15000	1,453
MFL8030-80	80	30	6	#	80	○	5	50		15000	1,453
MFL8030-100	80	30	6	#	100	○	5	50		15000	1,453
MFL8030-120	80	30	6	#	120	○	5	50		15000	1,453
MFL8030-150	80	30	6	#	150	○	5	50		15000	1,453
MFL8030-180	80	30	6	#	180	○	5	50		15000	1,453

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300

ミニフラップホイル/ 製品記号:MFL

品番	外径 (mm)	幅 (mm)	軸径 (mm)	砥粒/ 種類	粒度	在庫 区分	内装	外装	最高使用 周速度 (m/s)	最高使用 回転数 (min ⁻¹)	メーカー希望 小売価格
MFL8030-240	80	30	6	#	240	○	5	50		15000	1,453
MFL8030-320	80	30	6	#	320	○	5	50		15000	1,453
MFL8030-400	80	30	6	#	400		5	50		15000	1,453

在庫区分: ●:標準品 ○:準標準品 なし:受注生産品



優れた技術と理想を常に追求する

ニューレジストン株式会社

統括本部 〒594-1157 大阪府和泉市あゆみ野2丁目1番1号

TEL.(0725) 51-2292 FAX.(0725) 51-2392

ホームページ <https://www.newregiston.co.jp/>

お客様相談窓口 研削砥石のご相談窓口です。お気軽に何でもどうぞ!

☎0120-466-300